Xerox[®] AltaLink[®] Colour Multifunction Printer

The Ideal Digital Workplace Assistant for Demanding Teams







Xerox® AltaLink® C8130/C8135/C8145/C8155/C8170 Colour Multifunction Printer

Want work done right? AltaLink will help you do a lot more than just print. You can automate document workflows and connect to the systems that run your business – seamlessly. Protected by comprehensive security features, they are true Workplace Assistants that will free up time for you to do more of what really matters.

A PRODUCTIVE WORK EXPERIENCE FOR ALL

Feel right at home instantly with AltaLink.

The intuitive and personalised tablet-like interface balances simplicity and efficiency, and reduces steps to complete tasks with a single tap.

Native mobility features, like Wi-Fi Direct (optional), make it easy for workers to print from their mobile devices and access the advanced AltaLink capabilities such as Xerox® @PrintByXerox App, Xerox[®] Print Service Plug-in for Android[™] or AirPrint[®].

AltaLink Devices bridge the physical and digital worlds with apps and advanced scanning capabilities that allow you to digitise, route and process information in a snap. Automate tedious tasks to save time and reduce errors with 1-Touch shortcuts, or simply allow AltaLink's Adaptive Learning to automate repetitive and complex tasks.

Translate documents to 50+ languages. Convert hard copy to audio for easy listening on the go. And get your handwritten notes off the page and into the digital world.

RIGHT FIT FOR EVERY NEED

Big jobs, small jobs and everything in between – AltaLink can be customised to do it all. Your choice of finishing options and accessories means you can configure your device for any type of document.

The speed of business has never moved so fast, but the AltaLink makes it easy to keep up.

Stay in the fast lane with access to the Xerox App Gallery. It's your gateway to an ever-growing collection of apps designed to simplify time-consuming, repetitive or complex processes as your business evolves. Simplify IT support as your fleet grows. Fleet Orchestrator allows you to adjust configurations and settings on all your devices at once. Perform interactive training and support your users right from your desktop with the Remote Control Panel.

COMPREHENSIVE SECURITY

Stop threats where they start with the comprehensive protection that's trusted by the most security-minded businesses and governments.

Built-in security, including the AltaLink Trusted Boot that protects the integrity of the device start-up process from malicious actions, McAfee® whitelisting and integrations with McAfee ePO and Cisco ISE that neutralise threats instantly at the device level, and protect the network. Configuration Watchdog monitors and automatically remediates critical IT-defined security settings.

Native Security Information and Event Management (SIEM) simplifies reporting and management of security events. And integration with Xerox® Printer Security Audit Service, available as part of Xerox® Intelligent Workplace Services, helps maximise printer fleet, document and content security.

COLOUR WHERE IT COUNTS

High-resolution output of 1,200 x 2,400 dpi and best-in-class HD Super Fine EA Toner plus superior colour rendering and consistency will give your documents clarity and impact. You can also upgrade your AltaLink C8100 Series with the Xerox® EX-c C8100 Print Server Powered by Fiery®, delivering more options for professionallooking documents.

XEROX[®] CONNECTKEY[®] TECHNOLOGY

Intuitive User Experience

Enjoy a tablet-like experience with gesturebased touchscreen controls and easy personalisation, plus simple workflows and functions.

Mobile and Cloud Ready

Be more mobile with cloud-hosted services and instant connectivity to cloud and mobile devices right from the user interface.

Comprehensive Security

Prevent unauthorised access, detect threats and protect data and documents with built-in comprehensive security features.

Enables Intelligent Workplace Services

Seamless integration with Xerox® Intelligent Workplace Services delivers next-level workplace efficiency, employee productivity and security.


Gateway to New Possibilities

Transform the way you work with the apps in the Xerox App Gallery. Or have one of our partners develop a custom solution for you.

Find out more about how you'll work smarter at **www.connectkey.co.uk**



Xerox® AltaLink® C8130/C8135/C8145/C8155/C8170 Colour Multifunction Printer







USER INTERFACE



Intuitive Tablet-like 10.1-inch Colour Touchscreen is customisable and lets you perform tasks in just a few taps. Try it out at xerox.com/AltaLink8100UI.

INNOVATIVE TECHNOLOGIES







Xerox[®] Integrated RFID Card Reader (optional) adds card-based authentication with support for over 90 access cards.

Near Field Communication (NFC) Tap-to-Pair allows users to tap their mobile devices to the AltaLink C8100 Series user panel and quickly connect with the multifunction printer.

Smart Proximity Sensor detects when users are nearby. It conserves energy during inactive periods and automatically activates the device when a user approaches.

PAPER OUTPUT/FINISHERS³



Office Finisher (optional) provides advanced finishing functions optional crease/score and saddle-stitch booklet, making it capable of 60-page booklets (2 to 15 sheets).

Dual Offset Catch Trav

with finishers).

(available when no finishers are

installed; Single Offset Catch Tray



(BR) Finisher (optional) gives you advanced finishing functions at a great value.



C-Fold/Z-Fold Unit

the BR Finisher or

BR Booklet

Maker Finisher.

(optional) adds C-fold,

Z-fold and Z-half-fold to

Integrated Office Finisher (optional with C8130/C8135/ C8145/C8155) provides 500-sheet stacking and 50-sheet, 2-position stapling.



BR Booklet Maker Finisher (optional) creates 64-page saddle-stitched booklets (2 to 16 sheets).



Convenience Stapler (optional) staples up to 50 sheets of 75 gsm media.

PAPER INPUT³

Two 520-sheet Adjustable Trays (common with all configurations). Tray 1 handles media sizes up to A3 and Tray 2 handles media sizes up to SRA3.



Envelope Kit (optional - replaces Tray 1) provides feeding of up to 60 envelopes.



High Capacity Tandem Tray Configuration holds a total paper capacity of up to 3,140 sheets.

Four Tray Module Configuration (available for C8130/C8135) holds a total of up to 2,180 sheets.

Bypass Tray handles up to 100 sheets; Custom sizes: 89 x 98 mm to 320 x 1,320 mm.

High-Capacity Feeder (optional) holds 3,000 sheets of

A4 paper, increasing

the maximum paper

capacity to

6,140 sheets.



LONG SHEET PRINTING

Long Sheet Feed Kit (optional) provides the ability to print up to 320 x 1,320 mm media.



¹ Paper capacities are based on 75 gsm stock; capacities will vary with different weight stocks

Xerox® AltaLink® C8130/C8135/C8145/C8155/C8170

Color Multifunction Printer

ConnectKey[®]

Technology

Xerox™

| DEVICE SPECIFICATIONS | ALTALINK [®] C8130 | ALTALINK [®] C8135 | ALTALINK [®] C8145 | ALTALINK [®] C8155 | ALTALINK [®] C8170 |
|--|--|----------------------------------|---|---|---------------------------------|
| peed (Colour/Black and White) ¹ | Up to 30/30 ppm | Up to 35/35 ppm | Up to 45/45 ppm | Up to 55/55 ppm | Up to 70/70 ppm |
| onthly Duty Cycle ² | Up to 90,000 pages | Up to 110,000 pages | Up to 200,000 pages | Up to 300,000 pages | Up to 300,000 pages |
| | | | | | |
| ard Drive/Processor/Memory | | | TOM [®] Quad Core, 1.9GHz/4 GB sys | | - |
| onnectivity | | | ct print, Wi-Fi/Wi-Fi Direct with opt | ional Xerox® Dual Band Wireless | Kit, NFC, Bluetooth (iBeacon) |
| ptional Controller | | Server Powered by Fiery® | | | |
| opy and Print | 12 | 600 x 600 dpi; Print Resolutio | | | |
| rst-Copy-Out Time (as fast as) (from | 6.10 seconds colour/4.50 |) seconds black and white | 5.50 seconds colour/4.40 | 4.70 seconds colour/3.70 | 4.00 seconds colour/3.20 |
| laten/warmed-up state) | | | seconds black and white | seconds black and white | seconds black and white |
| First-Print-Out Time (as fast as) | 5.70 seconds colour/4.20 |) seconds black and white | 4.90 seconds colour/3.80 | 4.50 seconds colour/3.20 | 3.80 seconds colour/3.00 |
| | | | seconds black and white | seconds black and white | seconds black and white |
| age Description Languages | Adobe [®] PostScript [®] 3™. / | Adobe® PDF, PCL® 5c/PCL® 6 | 1 | | |
| aper Input ³ Standard | | | DADF): Up to 82 ppm simplex/141 i | nm dunley (200 dni) 130-sheet | capacity for Altal ink C8130/C8 |
| Choose One | C8145/C8155. Paper sizes: 85 x 125 mm to 297 x 432 mm. Up to 135 ppm simplex/270 ipm duplex (200 dpi). 250-sheet capacity for AltaLink C8170. Paper sizes: 85 x 125 mm to 297 x 432 mm Bypass Tray: 100 sheets; custom sizes: 89 x 98 mm to 320 x 1,320 mm (SEF) Tray 1: 520 sheets; custom sizes: 140 x 182 mm to 297 x 432 mm (SEF) Tray 2: 520 sheets; custom sizes: 140 x 182 mm to SRA3 (SEF) Four Tray Module: (Trays 3 and 4 – available with AltaLink C8130/C8135): 1,040 sheets; 520 sheets each; Custom sizes: 140 x 182 mm to SRA3 (SEF). Toto | | | | |
| | standard paper capacity: 2,180 sheets | | | | |
| | High Capacity Tandem Tray Module: 2,000 sheets; Sizes: A4. Total standard paper capacity: 3,140 sheets | | | | |
| Optional | High Capacity Feeder (HCF): Up to 3,000 sheets; Size A4 long-edge feed. Max paper capacity with HCF: 6,140 sheets. | | | | |
| | Envelope Tray (replaces Tray 1): Up to 60 envelopes with Auto Size detection of some sizes | | | | |
| | | anner printing): 320 x 1,320 r | | | |
| Paper Output/ Standard | Dual-Offset Catch Tray | (standard when finishers are r | not attached): 250 sheets each; Fac | e-up Tray: 100 sheets | |
| ' inishing³ Optional | Integrated Office Finisher: Available with AltaLink C8130/C8135/C8145/C8155, staple positions: front and rear straight. 500 sheets stacker, 50 sheets stapling. 2-position stapling Office Finisher: 2,000-sheet stacker, 50 sheets stapled, 2-position stapling, optional hole punch, optional booklet maker (score, saddle stitch 2 to 15 she (60 pages)) BR Finisher: 3,000-sheet stacker and 500-sheet top tray, 50-sheet multiposition stapling and 2/3-hole punching | | | | |
| | BR Booklet Maker Finisher: 1,500-sheet stacker and 500-sheet top tray, 50-sheet multiposition stapling and 2/3-hole punching plus saddle-stitch booklet making (2 to 16 sheets, 64 pages) and V-folding C-Fold/Z-Fold Unit: Adds Z-folding, Letter Z-folding and Letter C-folding to the BR Finisher and BR Booklet Maker Finisher Convenience Stapler: 50-sheet stapling, includes Work Surface ⁶ | | | | |
| NTUITIVE USER EXPERIE | | o sheet stapking, medaes then | Sanace | | |
| Î | | | It | ation and the 1 Taugh Arma auto | weeks we with Groupst |
| Customise | | • | lise user experience with authentic | | wakeup with Smart |
| | | | ortcuts for repetitive and complex j | | |
| rint Drivers | | | , Xerox® Global Print Driver®, Applic | | |
| erox® Embedded Web Server | | | nagement, Cloning, Fleet Orchestro | | |
| rint Features | Print from USB, Print from Cloud Repositories (Dropbox, OneDrive and Google Drive), Sample Set, Saved Job, Booklet Creation, Store and Recall D | | | | |
| | Settings, Scaling, Job Monitoring, Application Control, Two-sided Printing, Draft Mode, Long Sheet (Banner) Printing | | | | |
| can and Fax | Scan Preview, Scan to USB/Email/Network (FTP/SFTP/SMB), Scan File Formats: PDF, PDF/A, JPG, TIFF; convenience features: Scan to Home, Searchable PE Single/Multi-page PDF/TIFF, Password-protected PDF; Fax Features: Walk-up Fax (one-line or two-line options available, includes LAN Fax, Direct Fax, Fax Forward to Email), Fax dialling, Unified Address Book, Optical Character Recognition (OCR), Server Fax, TWAIN driver (scan); Optional: Scan to Cloud Repositories (Dropbox, OneDrive and Google Drive) ⁶ | | | | |
| | | | | (100) · · · · · · · · · · · · · · · · · · | |
| Iobile Connectivity | | | ct, Wi-Fi (802.11 b/g/n/ac), AirPrint (| | th) |
| Nobile Printing | AirPrint, Mopria®, Xerox® Print Service (Android), @PrintByXerox; Optional: Xerox® Workplace Mobile App (iOS/Android) | | | | |
| Nobile Scanning | AirPrint, Mopria®; Optional : Xerox® Workplace Mobile App (iOS/Android) | | | | |
| Cloud Ready | Remote services enabled, native "Print from" Cloud repositories (Dropbox, OneDrive, Google Drive). Optional: Native "Scan to" cloud repositories (Dropbo OneDrive, Google Drive) ⁴ , direct connection to cloud hosted services via optional apps (accessed via Xerox App Gallery app or visit xerox.com/AppGaller y | | | | |
| OMPREHENSIVE SECURIT | | | | | |
| Network Security | 802.1x, IPsec, HTTPS, SFTP and Encrypted Email, McAfee® ePolicy Orchestrator®, McAfee Enterprise Security Manager4, LogRhythm SIEM4, Splunk SIEM4, Network Authentication, SNMPv3, SHA-256 Hash Message Authentication, TLS 1.1/1.2/1.3, Security Certificates utilising ECDSA, Automatic Self-signed Certificate, Cisco® Identity Services Engine (ISE) integration, automated threat response through McAfee DXL/Cisco pxGrid integration, Local Authentication, ILS 1.1/1.2/1.3, Security Certificates utilising ECDSA, Automatic Self-signed Certificate, Cisco® Identity Services Engine (ISE) integration, automated threat response through McAfee DXL/Cisco pxGrid integration, Local Authentication, ILS 1.1/1.2/1.3, Security Certificates utilising ECDSA, Automatic Self-signed Certificates, Cisco® Identity Services Engine (ISE) integration, automated threat response through McAfee DXL/Cisco pxGrid integration, Local Authentication, ILS 1.1/1.2/1.3, Security Certificates, Cisco® Identity Services Engine (ISE) integration, automated threat response through McAfee DXL/Cisco pxGrid integration, Local Authentication, ILS 1.1/1.2/1.3, Security Certificates, Cisco® Identity Services, Cisco® Identity, Services, Cisco® Ide | | | | |
| Device Access | User Access and Internal Firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Configuration Watchdog, TPM; Optional : Smart Card Enablement Kit (CAC/PIV/.NET/SIPRNet) ⁵ , Xerox [®] Integrated RFID Card Reader, NFC standard (authentication via optional Xerox [®] Workplace Cloud/ Suite Print Management and Content Security; learn more at www.xerox.co.uk/en-gb/office/print-management-solutions) | | | | |
| Data Protection | McAfee Embedded Control Whitelisting, Firmware Verification, Trusted Boot, Job Level Encryption via HTTPS and Drivers, Encrypted Storage Drive (AES 256-bit, FIPS 140-2), Encrypted and Signed Email; Optional: Xerox [®] Workplace Cloud/Suite Content Security, Encrypted Hard Disk (AES 256-bit, FIPS 140- with Image Overwrite, McAfee Integrity Control | | | | |
| Oocument Security | Under evaluation Common Criteria Certification (ISO 15408) full system against the HCP PP, Encrypted Secure Print, FIPS 140-2 Encrypted Data with Print Drivers | | | | |
| NABLES INTELLIGENT WC | ORKPLACE SERVI | CES | | | |
| rint Management | Xerox [®] Standard Accoun | ting; Optional: Xerox® Workpla | ace Suite/Cloud, Xerox® Virtual Print | t Management Service, more at v | www.xerox.co.uk/en-gb/offic |
| leet/Device Management | printer-software#printmanagement Xerox® CentreWare® Web, Xerox® Support Assistant, Automated Meter Read, Xerox® Cloud Fleet Management Solution, Fleet Orchestrator, Configuration | | | | |
| ecurity | Cloning, Optional: Intelligent Workplace Services Suite, Cloud-based remote management with Xerox® Workplace Cloud ⁶ Secure Device Management: Xerox® Printer Security Audit Service (auto-configuration of security settings, monitoring and auto-remediation), Digital | | | | |
| - | | t, SIEM Reporting, Interactive D | | | |
| ATEWAY TO NEW POSSIB | , and the second s | | | | |
| Kerox App Gallery | Automate everyday processes with apps that translate, redact, eSign, personalise print, convert, route, collaborate and communicate. Visit www.xerox.co.uk/en-gb/connectkey/workplace-apps to find apps by industry or workflow. Software and services: Xerox® DocuShare® (xerox.co. ecm), XMPie® (www.xerox.co.uk/en-gb/digital-printing/workflow-software/printing-software/xmpie-personalised-communication-software), Xerox® Workplace Solutions (www.xerox.co.uk/en-gb/office/print-management-solutions) | | | | |

² Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis

³ Paper capacities are based on 75 gsm stock; capacities will vary with different weight stocks

⁴ Available post-launch via software update

⁵ Available in selected markets

⁶ Sold separately in some geographical locations

Certifications: xerox.com/OfficeCertifications

More information is available at https://www.xerox.co.uk/en-gb/connectkey/altalink.

© 2021 Xerox Corporation. All rights reserved. Xerox®, AltaLink®, CentreWare®, ConnectKey®, DocuShare® and Global Print Driver® are trademarks of Xerox Corporation in the United States and/or other countries. XMPie® is a trademark of XMPie, Inc. Mopria® is a trademark of the Mopria Alliance. The information in this brochure is subject to change without notice. 03/21 TSK-1343 BR29460 AC8BR-05EC